

QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)

COMO É QUE O TRATAMENTO DA LMC AFETA A VIDA DOS DOENTES?

69-78% (n=361)

dos doentes referiram que o tratamento atual os fazia sentir física e emocionalmente cansados.¹

Crédito: Canadian CML Network / CML Advocates Network
Questionário por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.



QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)



58% (n=361)

dos doentes referiram estar constantemente stressados e preocupados com o facto de o seu tratamento estar a ser eficaz.¹

Crédito: Canadian CML Network / CML Advocates Network
Questionário por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.

QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)



54% (n=361)

Reportaram que o tratamento da LMC limita a sua vida pessoal e social¹

Crédito: Canadian CML Network / CML Advocates Network
Questionário por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.

QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)

19%-26%

dos doentes (n=361) sentiram que as decisões de tratamento foram discutidas e decididas em conjunto com os seus médicos, enquanto 44% a 48% dos médicos (n=198) referiram que tomam decisões de tratamento com pouco ou nenhum contributo do doente em todas as linhas de tratamento¹

Crédito: Canadian CML Network / CML Advocates Network
QUESTIONÁRIO por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.



QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)



47% (n=361)

dos doentes referiram que têm de submeter dias de baixa no trabalho devido aos efeitos secundários que sentem ¹

Crédito: Canadian CML Network / CML Advocates Network
Questionário por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.

QUESTIONÁRIO SOBRE AS NECESSIDADES NÃO ATENDIDAS DA LMC (ESTUDO SUN)



74% (n=198)

dos médicos afirmaram que consideram apenas a sua opinião quando se trata de decisões sobre o tratamento¹

Crédito: Canadian CML Network / CML Advocates Network
Questionário por Novartis Pharmaceutical Corporation

1. Lang F, Pemberton-Whiteley Z, Clements J, et al. Chronic Myeloid Leukemia Survey on Unmet Needs (CML SUN): Balancing Tolerability and Efficacy Goals of Patients and Treatment Decision-Making. Presented at: EHA2023 Hybrid Congress; June 08-15, 2023; Frankfurt, Germany.